



Tai Chi



**TAI CHI**

**Features of Product:**

- Unique rotated and practical function.
- A blocking device in the holder keeps the wrenches in.
- Integration of ergonomic double-layer holder:
  - a. arrange wrenches in order from small to large size.
  - b. providing a clear identification for the dimensions.
  - c. providing the comfort of hex keys taken/held (time-saving effect).
- Dedicated key space for instant selection and storage.



Slightly rotate the front holder to appropriate position.

Simple, fast and smooth extraction.



**055 SHORT ARM HEX KEY SET; BLACK OXIDE**

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
055-01MS	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	7.8	9.7	1.59
055-04MS	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	14.0	15.9	1.60
055-05MS	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
055-06MS	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/48	18.0	19.9	1.60
055-01AS	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	7.1	9.0	1.59
055-04AS	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	13.7	15.6	1.60
055-08AS	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	14.7	16.6	1.60

**055 LONG ARM HEX KEY SET; BLACK OXIDE**

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
055-01ML	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	10.0	12.3	1.93
055-04ML	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	18.5	20.8	1.96
055-05ML	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
055-06ML	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	18.0	19.8	1.43
055-01AL	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	9.9	12.2	1.93
055-04AL	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	19.4	21.7	1.96
055-08AL	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	15.6	17.4	1.43

**055 EXTRA LONG ARM HEX KEY SET; BLACK OXIDE**

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
055-01MX	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	12.2	14.8	2.21
055-04MX	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	17.0	18.9	1.63
055-05MX	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
055-06MX	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	22.0	23.9	1.63
055-01AX	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	11.7	14.3	2.21
055-04AX	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	17.7	19.6	1.63
055-08AX	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	18.8	20.7	1.63

Color Code:  
Metric: **Orange**  
Inch: **Green**

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**



### 056 SHORT ARM HEX KEY SET; CHROME PLATED

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
056-01MS	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	7.8	9.7	1.59
056-04MS	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	14.0	15.9	1.60
056-05MS	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
056-06MS	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/48	18.0	19.9	1.60
056-01AS	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	7.1	9.0	1.59
056-04AS	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	13.7	15.6	1.60
056-08AS	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	14.7	16.6	1.60

### 056 LONG ARM HEX KEY SET; CHROME PLATED

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
056-01ML	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	10.0	12.3	1.93
056-04ML	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	18.5	20.8	1.96
056-05ML	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
056-06ML	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	18.0	19.8	1.43
056-01AL	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	9.9	12.2	1.93
056-04AL	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	19.4	21.7	1.96
056-08AL	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	15.6	17.4	1.43

### 056 EXTRA LONG ARM HEX KEY SET; CHROME PLATED

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
056-01MX	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	12.2	14.8	2.21
056-04MX	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	17.0	18.9	1.63
056-05MX	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
056-06MX	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	22.0	23.9	1.63
056-01AX	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	11.7	14.3	2.21
056-04AX	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	17.7	19.6	1.63
056-08AX	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	18.8	20.7	1.63

Color Code:  
Metric: **Orange**  
Inch: **Green**

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**

### 057 SHORT ARM BALL POINT HEX KEY SET; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
057-01MS	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	7.8	9.7	1.59
057-04MS	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	14.0	15.9	1.60
057-05MS	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
057-06MS	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/48	18.0	19.9	1.60
057-01AS	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	7.1	9.0	1.59
057-04AS	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	13.7	15.6	1.60
057-08AS	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	14.7	16.6	1.60

### 057 LONG ARM BALL POINT HEX KEY SET; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
057-01ML	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	10.0	12.3	1.93
057-04ML	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	18.5	20.8	1.96
057-05ML	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
057-06ML	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	18.0	19.8	1.43
057-01AL	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	9.9	12.2	1.93
057-04AL	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	19.4	21.7	1.96
057-08AL	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	15.6	17.4	1.43

### 057 EXTRA LONG ARM BALL POINT HEX KEY SET; BLACK OXIDE

MATERIAL: Chrome Vanadium Steel (CR-V)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
057-01MX	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	12.2	14.8	2.21
057-04MX	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	17.0	18.9	1.63
057-05MX	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
057-06MX	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	22.0	23.9	1.63
057-01AX	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	11.7	14.3	2.21
057-04AX	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	17.7	19.6	1.63
057-08AX	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	18.8	20.7	1.63

Color Code:  
Metric: **Orange**  
Inch: **Green**

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**





● **058 SHORT ARM BALL POINT HEX KEY SET; CHROME PLATED**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
058-01MS	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	7.8	9.7	1.59
058-04MS	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	14.0	15.9	1.60
058-05MS	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
058-06MS	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/48	18.0	19.9	1.60
058-01AS	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	7.1	9.0	1.59
058-04AS	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	13.7	15.6	1.60
058-08AS	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	14.7	16.6	1.60

● **058 LONG ARM BALL POINT HEX KEY SET; CHROME PLATED**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
058-01ML	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	10.0	12.3	1.93
058-04ML	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/48	18.5	20.8	1.96
058-05ML	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
058-06ML	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	18.0	19.8	1.43
058-01AL	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	9.9	12.2	1.93
058-04AL	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/48	19.4	21.7	1.96
058-08AL	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	15.6	17.4	1.43

● **058 EXTRA LONG ARM BALL POINT HEX KEY SET; CHROME PLATED**

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
058-01MX	7 PCS	1.5-2-2.5-3-4-5-6MM	12/72	12.2	14.8	2.21
058-04MX	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	17.0	18.9	1.63
058-05MX	11 PCS	1.5-2-2.5-3-4-5-6-7-8-9-10MM	—	—	—	—
058-06MX	12 PCS	1.5-2-2.5-3-4-4.5-5-5.5-6-7-8-10MM	6/36	22.0	23.9	1.63
058-01AX	7 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4"	12/72	11.7	14.3	2.21
058-04AX	9 PCS	5/64-3/32-1/8-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	17.7	19.6	1.63
058-08AX	13 PCS	0.05-1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4-5/16-3/8"	6/36	18.8	20.7	1.63

Angle entry to 25° for easy access:  
 a. work in hard to reach areas.  
 b. faster insertion and removal.  
 c. work efficiently, even near obstructions.

Color Code:  
 Metric: **Orange**  
 Inch: **Green**

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**



**The characteristics of stainless steel:**

- a. Corrosion and chemical resistance.
- b. Low maintenance and more durable.

● **STAINLESS LONG ARM BALL POINT HEX KEY SET; ORIGINAL COLOUR**

MATERIAL: Stainless

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
011-19ML	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	17.4	19.1	1.47

● **STAINLESS EXTRA LONG ARM BALL POINT HEX KEY SET; ORIGINAL COLOUR**

MATERIAL: Stainless

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
011-19MX	9 PCS	1.5-2-2.5-3-4-5-6-8-10MM	6/36	21.3	23.2	1.63

Angle entry to 25° for easy access:  
 a. work in hard to reach areas.  
 b. faster insertion and removal.  
 c. work efficiently, even near obstructions.

Color Code:  
 Metric: **Orange**

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**

# Tai Chi

In recent years, Eastern influences have entered many markets, including fashion design, and how many famous designers have introduced works made with materials from the East. It is also noted how the slow-motion routines of Tai Chi are practiced to promote health and longevity.

Inspired by the "natural" movement of Tai Chi boxing and based on "rotating and pushing hands", Jaco developed the series of Tai Chi key set from ergonomic finger exercises viewpoint. The structure of this product pivots on combination of one principle part and another rotational movement of secondary part, which easily move the L-keys out and has a blocking device to keep L-keys in.

Moreover, the shape of the double-layer holder comes from the traditional Tai Chi symbol of a circle with black and white shapes within. It represents the forces of yin and yang (or dark and light), which are complementary opposite rather than absolute. Jaco's holder comprises two complementary layers, based on an idea of the Tai Chi symbol. The design of ergonomic holder uses double-layer, which arranges the L-keys from small to large, resulting in an effective layout. The user experiences the ease of taking and holding the L-keys (time-saving effect) and the convenience of handy carry.

Having above advantages, Tai Chi product not only represents a sense of beauty design, but also a product of consumer needs.



## ★ 097 LONG ARM STAR KEY SET; BLACK OXIDE

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
097-04TL	9 PCS	T8-T10-T15-T20-T25-T27-T30-T40-T50	6/48	13.8	16.1	1.96
097-06TL	12 PCS	T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45-T50	6/48	17.6	19.9	1.96

## ★ 097 LONG ARM STAR KEY SET; CHROME PLATED

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
097-14TL	9 PCS	T8-T10-T15-T20-T25-T27-T30-T40-T50	6/48	13.8	16.1	1.96
097-16TL	12 PCS	T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45-T50	6/48	17.6	19.9	1.96

## ★ 097 LONG ARM TAMPER STAR KEY SET; BLACK OXIDE

MATERIAL: Steel of Ni-Cr-Mo-V (SNCMV)

ITEM NO.	PCS/SET	DESCRIPTION	INNER/CTN (SETS)	N.W. (KGS)	G.W. (KGS)	CUFT.
097-24TL	9 PCS	T8-T10-T15-T20-T25-T27-T30-T40-T50	6/48	13.8	16.1	1.96
097-26TL	12 PCS	T7-T8-T9-T10-T15-T20-T25-T27-T30-T40-T45-T50	6/48	17.6	19.9	1.96



Star Key

Color Code:  
Star: **Gray**



Tamper Star Key

Package:  
**a. Insert card + Double blister**  
**b. Tagged + Label**

High torque star key wrench with hexagonal shape  
A full range of tip sizes from T6 - T55.

